

LISTA DE LUCRARI

Articole stiintifice

67. Kinetic approach of aflatoxin B1-acetylcholinesterase interaction: a tool for developing surface plasmon resonance biosensors  
*M. Puiu, O. Istrate, L. Rotariu, Camelia Bala*  
Analytical Biochemistry, **2012**, DOI:10.1016/j.ab.2011.10.035
66. Highly sensitive label-free immunosensor for ochratoxin A based on functionalized magnetic nanoparticles and EIS/SPR detection  
*L.G. Zamfir, I. Geana, S. Bourigua, L. Rotariu, Camelia Bala, A. Errachid, N. Jaffrezic-Renault*  
Sensors and Actuators B: Chemical, **2011**, 159, 178–184
65. Sensitive detection of endocrine disrupters using ionic liquid - single walled carbon nanotubes modified screen-printed based biosensors  
*A.M. Gurban, L. Rotariu, M. Baibarac, I. Baltog, Camelia Bala*  
Talanta, **2011**, 85, 2007– 2013
64. A novel, sensitive, reusable and low potential acetylcholinesterase biosensor for chlorpyrifos based on 1-butyl-methylimidazolium tetrafluoroborate/multiwalled carbon nanotubes gel  
*L. Rotariu, L.-G. Zamfir, Camelia Bala*  
Biosensors & Bioelectronics, **2011**, 26, 3692–3695
63. Biocatalytic microreactor incorporating HRP anchored on micro-/nano- lithographic patterns for flow oxidation of phenols  
*M. Tudorache, D. Mahalu, C. Teodorescu, R. Stan, Camelia Bala, V. I. Parvulescu*  
Journal of Molecular Catalysis B: Enzymatic, **2011**, 69, 133–139
62. Low potential thiocholine oxidation at carbon nanotube-ionic liquid gel sensor  
*L. Rotariu, L.-G. Zamfir, Camelia Bala*  
Sensors & Actuators: B. Chemical, **2010**, 150, 73–79
61. Portable measuring and display unit for electrochemical sensors  
*C. Ionescu, P. Svasta, C. Tamas, Camelia Bala, L. Rotariu*  
Design and Technology of Electronics Packages, SIITME 2010 , art. no. 5653021, pp. 215-218
60. Development of an electrochemical biosensor for AFB 1 detection in olive oil  
*I.B. Rejeb, F. Arduini, A. Arvinte, A. Amine, M. Gargouri, L. Micheli, Camelia Bala, D. Moscone, G. Palleschi*  
Biosensors & Bioelectronics, 24(7), **2009**, 1962-1968.
59. Synergistic effect of mediator-carbon nanotube composites for dehydrogenases and peroxidases based biosensors  
*A. Arvinte, L. Rotariu, Camelia Bala, A. M. Gurban*  
Bioelectrochemistry, **2009**, 76 (1-2), 107-114
58. Electrochemical sensor with polymer thick film printed electrodes  
*Camelia Bala, L. Rotariu, C. Ionescu, P. Svasta*  
SIITME 2009 - Design and Technology of Electronics Packages , art. no. 5407355, pp. 295-300
57. Sensitive Aflatoxin B1 Determination Using a Magnetic Particles-Based Enzyme-Linked Immunosorbent Assay  
*M. Tudorache, Camelia Bala*  
Sensors, **2008**, 8(12), 7571-7580.
56. Validation of a quantitative method determination of estradiol in pharmaceutical products using UV-vis molecular absorption spectrometry  
*I.L. Popescu, H.Y. Aboul-Enein, I.G., Tanase, I. Ghica, Camelia Bala*  
Analytical Letters, **2008**, 41(18), 3272-3296
55. Development of biological sensors based on screen-printed electrodes for environmental pollution monitoring  
*A.-M. Gurban, L. Rotariu, M. Tudorache, Camelia Bala, T. Noguier*  
in Sensors for Environment, Health and Security. Advanced Materials and Technologies, Springer, Series C: Environmental Security, Netherlands, (**2008**), pag. 401—414, ISBN 978-1-4020-9010-3.

54. Improvement of NADH detection using Prussian blue modified screen-printed electrodes and different strategies of immobilisation  
*A.-M. Gurban, T. Noguer, Camelia Bala, L. Rotariu.*  
*Sensors & Actuators: B. Chemical*, **2008**, 128(2), 536–544
53. Amperometric low-potential detection of malic acid using single-wall carbon nanotubes based electrodes  
*A. Arvinte, L. Rotariu, Camelia Bala*  
*Sensors*, **2008**, 8, 1497-1507
52. Magnetic beads-based immunoassay as a sensitive alternative for atrazine analysis  
*M. Tudorache, A. Tencaliec, Camelia Bala*  
*Talanta*, **2008**, 77, 839–843
51. Evaluation of Meldola Blue-Carbon nanotube-sol-gel composite for electrochemical NADH sensors and their application for lactate dehydrogenase-based biosensors  
*A. Arvinte, A. M. Sesay, V. Virtanen, Camelia Bala*  
*Electroanalysis*, **2008**, 20(21), 2355-2362.
50. Methyl paraoxon detection using HPLC-UV and electric eel acetylcholinesterase-based biosensors  
*M. Badea, Camelia Bala, L. Rotariu, G. Coman, S. Gocan, J.-L. Marty,*  
*Journal of Environmental Protection and Ecology*, **2008**, 9 (4), 763-772.
49. Biosensors based on screen-printing technology, and their applications in environmental and food analysis  
*M. Tudorache, Camelia Bala*  
*Analytical and Bioanalytical Chemistry*, **2007**, 388 (3), 565-578.
48. The NADH Electrochemical Detection Performed at Carbon Nanofibers Modified Glassy Carbon Electrode  
*A. Arvinte, F. Valentini, A. Radoi, F. Arduini, E. Tamburri, L. Rotariu, G. Palleschi, Camelia Bala*  
*Electroanalysis*, **2007**, 14, 1455 – 1459.
47. Development of a pesticides biosensor using carbon-based electrode systems  
*/A. Arvinte, L. Rotariu, Camelia Bala*  
 in “Chemicals as Intentional and accidental global environmental threats”, ed. L. Simeonov and E. Chirila, Springer, The Netherlands, (2006), NATO Security through Science Series C- Environmental Security, ISBN 987-1-4020-5096-1 si ISSN 1872-4668, pag. 337-343.
46. Dehydrogenases-based biosensors used in wine monitoring  
*A. Arvinte, A. M. Gurban, L. Rotariu, T. Noguer, Camelia Bala*  
*Revista de Chimie*, **2006**, 57(9), 919-922.
45. Immobilisation of lactate dehydrogenase on electro-polymerised Meldola Blue matrix  
*S. C. Litescu, L. Rotariu, Camelia Bala*  
*Revista de Chimie*, **2005**, 56(1), 57-60.
44. Detection of organophosphorus insecticides with immobilized acetylcholinesterase - comparative study of two enzyme sensors  
*S. Andreescu, A. Avramescu, Camelia Bala, V. Magearu, J-L Marty*  
*Analytical & Bioanalytical Chemistry*, **2002**, 374(1), 39-45.
43. Biosensors designed for environmental and food quality control based on screen-printed graphite electrodes with different configurations  
*A. Avramescu, S. Andreescu, T. Noguer, Camelia Bala, D. Andreescu, J-L Marty*  
*Analytical & Bioanalytical Chemistry*, **2002**, 374(1), 25-32.
42. Yeast cells sucrose biosensor based on a potentiometric oxygen electrode  
*L. Rotariu, Camelia Bala, V. Magearu*  
*Analytica Chimica Acta*, **2002**, 458 (1), 215-222.
41. Comparative study of chemical and electrochemical oxidation of azulene 1 azo-benzene. New material for electrosurfaces modifications  
*C. Lete, N.D. Totir, A.C. Razus, C. Nitu, S. Lupu, Camelia Bala, S.C. Litescu*  
*Revue Roumaine de Chimie* **2005**, 50 (7-8), 705-711.
40. The catalytic synthesis of methyl-isobutyl ketone from acetone. The study of the influence of zinc addition through impregnation on the behaviour of the catalyst Pd / Zn-H-ZSM 5  
*D. Bombos, M. Bombos, F. Bacalum, I. Stanciu, Camelia Bala, N. Naum*

Analele Universitatii Bucuresti - Chimie, anul XIV (serie noua), **2005**, I-II, 89-94.

39. Different strategies for developing L-Malic acid sensors

*A.-M. Gurban, B. Prieto, Camelia Bala, V. Magearu, J.-L. Marty, T. Noguier*  
Buletin of the Transilvania University of Brasov, seria D, **2005**, 85-91.

38. New potentiometric microbial biosensor for ethanol determination in alcoholic beverages

*L. Rotariu, Camelia Bala, V. Magearu*  
Anal. Chim. Acta, 513 (1), **2004**, 119-123.

37. Disposable immunosensor for the determination of domoic acid in shellfish

*L. Micheli, A. Radoi, R. Guarrina, R. Massaud, Camelia Bala, D. Moscone, G. Palleschi*  
Biosensors & Bioelectronics, 20 (2), **2004**, 190-196.

36. On-line assay of the S-enantiomers of enalapril, ramipril and pendopril using sequential injection analysis/amperometric biosensor system

*R.-I. Stefan, J. F. van Staden, Camelia Bala, H. Y. Aboul-Enein*  
Journal of Pharmaceutical and Biomedical Analysis, 36, **2004**, 889-892.

35. Thermodynamic parameters of the reversed-phase liquid chromatography retention for some lipid-soluble vitamins

*V. David, Camelia Bala, L. Rotariu*  
Chemia Analytyczna, 49 (2), **2004**, 191-199.

34. Development of a new ethanol biosensor with electropolymerised Meldola Blue as mediator

*Camelia Bala, L. Rotariu, A. Vasilescu, V. Magearu*  
Analele Universitatii Bucuresti - Chimie, anul XIII, **2004**, I-II, 19-25.

33. Fast enzymatic method for acetaldehyde determination in wine quality control

*L. Rotariu, A. Arvinte, S. C. Litescu, Camelia Bala*  
Analele Universitatii Bucuresti - Chimie, anul XIII, **2004**, I-II, 105-110.

32. Strategies for developing NADH detectors based on Meldola Blue and screen-printed electrodes: a comparative study

*A. Vasilescu, T. Noguier, S. Andreescu, C. Calas-Blanchard, Camelia Bala, J.-L. Marty*  
Talanta, **2003**, 59 (4), 751-765.

31. Microbial biosensor for ethanol determination in alcoholic beverages

*L. Rotariu, Camelia Bala, V. Magearu*  
Analele Universitatii Bucuresti - Chimie, anul XII (serie noua), **2003**, I-II, 69-76.

30. Design of electromediated detection of main compounds involved in food and environmental control

*Camelia Bala, L. Rotariu*  
J. Univ. Chem. Techn. & Met. , **2003**, 38(1), 61-70.

29. Development of affinity biosensors for direct detection of insecticides

*Camelia Bala, L. Rotariu, V. Magearu*  
Analele Universitatii Ovidius Constanta, **2003**, 14 (1), 16-19.

28. Disposable alcohol biosensor based on alcohol dehydrogenase and screen-printed electrodes

*Camelia Bala, L. Rotariu, V. Magearu*  
Analele Universitatii Bucuresti - Chimie, anul XII (serie noua), **2003**, I-II, 55-60.

27. Raspunderea legala a laboratoarelor de incercari. Punctul de vedere al ILAC.

*Camelia Bala, L. Rotariu*  
Buletin EURACHEM, **2003**, no. 6, 13-15.

26. New enzymatic biosensors for environmental and food quality control

*Camelia Bala, L. Rotariu, V. Magearu*  
Analele Universitatii Ovidius Constanta (ISSN 1223-7221), **2003**, 14 (1), 20-23.

25. Ghidul pentru determinarea incertitudinii masurarilor din laboratorul de microbiologie

*Camelia Bala*  
Buletin EURACHEM (ISSN: 1582 – 9057), **2003**, no. 5, 16.

24. The influence of different substituents on electrochemical behaviour of azulene 1-azobenzene

*C. Letea, N. Totir, A. C. Razus, C. Nitu, S. Lupu, Camelia Bala, S. Litescu*

Annals of West Univ. of Timisoara. Series Chemistry 12(3), **2003**, 1419-1426.

23. New type of ethanol microbial biosensors based on a highly sensitive amperometric oxygen electrode and yeast cells.

*L. Rotariu, Camelia Bala*

Analytical Letters, **2003**, 36 (11), 2459 – 2471.

22. Screen-printed electrodes with electropolymerised Meldola Blue as versatile detectors in biosensors

*A. Vasilescu, S. Andreescu, Camelia Bala, S. C. Litescu, T. Noguer, J.-L. Marty*

Biosensors & Bioelectronics, **2003**, 18 (5-6), 781-790.

21. Biosensor for the Enantioselective Analysis of S-Captopril

*R.-I. Stefan, Camelia Bala, Hassan Y. Aboul-Enein*

Sensors and Actuators B, **2003**, 92 (1-2), 228-231.

20. Senzori chimici și biologici; tendințe de dezvoltare

*Camelia Bala, V. Dumitrescu, V. Magearu*

Rev. Rom. Mec., Optic & Mecat., 19-20, **2001**, 1910-1913.

19. Development of screen-printed sensors for phenol and their application in ambient air samples

*D. Andreescu, S. Andreescu, Camelia Bala, A. F. Danet, J-L. Marty*

U.P.B. Sci. Bull., Series D, 63 (3), **2001**, 309-316.

18. Electrochemical characterization and development of polimer modified biosensors

*Camelia Bala, G.-L. Radu, G. Palleschi*

U.P.B. Sci. Bull., Series D, 63 (3), **2001**, 353-360.

17. Senzori inteligenti

*Camelia Bala, L. Rotariu, V. Magearu*

Rev. Rom. Mec., Optic & Mecat., 19-20, **2001**, 1914-1921.

16. The potential of screen-printed electrodes for the development of biosensors. Applications in environmental and food industry

*A. Avramescu, S. Andreescu, Camelia Bala, T. Noguer, V. Magearu, J-L Marty*

U.P.B. Sci. Bull., Series D, 63 (3), **2001**, 317-328.

15. Use of yeast cells for selective determination of sucrose

*L.D. Rotariu, Camelia Bala, V. Magearu*

Rev. Roum. Chim., 45(1), **2000**, 21-26.

14. Some aspects of enantioselective transport of amine compounds through liquid membranes

*H.-J. Buschmann, L. Mutihac, K. Jansen, A. Wego, Camelia Bala*

Roum. Biotechnol. Lett., 5(3), **2000**, 157-170.

13. Enzyme electrode for glucose based on an iodide membrane sensor

*Camelia Bala, V. Magearu*

Biosensors for environmental monitoring (ISBN 973-8118-24-7), **2000**, 7-10.

12. Development and applications of biosensors for amino acids analysis in food

*Camelia Bala, G. L. Radu*

Roum. Biotechnol. Lett., 5(1), **2000**, 1-9.

11. Macrocyclic receptors in enantioselective separation of amine compounds

*H.-J. Buschmann, L. Mutihac, K. Jansen, A. Wego, Camelia Bala*

Roum. Chem. Quart. Rev., 8 (3-4), **2000**, 313-321.

10. Enalapril microbial biosensor

*S. Fleschin, Camelia Bala, A.A. Bunaciu, A. Panait, H. Y. Aboul-Enein*

Prep. Biochem. & Biotechnol., 28(3), **1998**, 261-269.

9. Use of lysosyme in analytical determination of dehydrogenase activity and inhibition test

*S. Fleschin, Camelia Bala, M. Fleschin, L. Rotariu,*

Rev. Roum. Chim., 42(4), **1997**, 263-265.

8. Membrane transport of some inorganic species with macrocyclic ligands

*L. Mutihac, Camelia Bala, S. Fleschin, L. Rotariu, V. Magearu*

Roum. Chem. Quart. Rev., 5(2), **1997**, 99-110.

7. Determination of cholesterol with a nafion-polypyrrole-modified biosensor

Camelia Bala, G.L. Radu, D.E. Gheorghe, V. Magearu

J. Med. Biochem., 1(1), 1997, 47-54.

6. An amperometric sensor for cholesterol determination in bile

Camelia Bala, L.D. Rotariu, V. Magearu

J. Med. Biochem., 1(2), 1997, 143-150.

5. Correlation aspects in extraction and liquid membrane transport of amino acid with macrocyclic ligands.

L. Mutihac, H.J. Bushmann, Camelia Bala, R. Mutihac

Anales de Quimica Int. Ed., 93, 1997, 332-336.

4. An amperometric electrode for L-amino acids with *Vipera Ammodyter* extract as biocatalyst

Camelia Bala, M. Rujoi, S. Fleschin, V. Magearu

Roum. Biotechnol. Lett, 2(5), 1997, 365-371.

3. Enalapril and Ramipril selective membranes

H.Y. Aboul Enein, A. A. Bunaciu, Camelia Bala, S. Fleschin,

Anal. Lett., 30(11), 1997, 1999-2008.

2. Microbial biosensor for glucides

L. Rotariu, Camelia Bala, S. Fleschin, V. Magearu

Roum. Biotechnol. Lett., 1(1), 1996, 47-54.

1. Potentiometric sensor for oxygen determination

D.L. Rotariu, Camelia Bala, S. Fleschin, V. Magearu

Analele Universității București - Chimie, Anul III (serie noua), 1994, 45-49.

#### **Brevete de inventii**

1. Compozitie pentru reducerea continutului de praf si aerosoli rutieri

D. Bombos, M. M. Bombos, M. Mariana, Serban, V. Sever Șerban, G. Vasilevici, F. Bacalum, T. Dumitrescu, C. Ionescu, V. Matei, D. R. Popovici, T. Juganaru, C. M. Dusescu, A. Patrascu, Camelia Bala

Brevet de inventie RO 122545 B1 (2009).

2. Catalizator bifunctional pe baza de rasini schimbatoare de ioni

D. Bomboș, M. M. Bomboș, V. Sever Șerban, G. Vasilevici, F. Bacalum, Ș. Dumitrescu, C. Ionescu, V. Matei, D. R. Popovici, C. M. Dușescu, T. Jugănaru, Camelia Bala

Brevet de inventie RO 122490 (2009).